## Sewer Use Program

## **Restricted Septage Approval Application**



SUBMIT TO:		SUP USE ONLY:	ApprovedYN		
Sewer Use Program- City	y of Ottawa	Approval Code:			
800 Green Creek Drive, Ottawa, ON K1J 1A6 Phone: 613-580-2424 x 23326		Approval Date:By:Approval Expiry Date:			
Email: <u>SUP-PUE@ottawa</u>	<u>.ca</u>				
Business name					
Business location (address, city, province and postal code)					
	Business Owner	P	roperty Owner (leave blank if same)		
Contact Name					
Company					
Mailing Address					
City/Province/Postal Code					
Office Phone No.					
Cell Phone No.					
Fax No.					
E-mail Address					
Primary person to be contacted about this application					

Name(s) of Contracted Septage Hauler(s)				
Type and number of Onsite Sewage System(s) (OSS)	Class IV (Septic Tank) Class V (Holding Tank)	C Lift Station Other (describe below)	Volume of OSS(s)	Cubic Meters
Date Last Pumped	DD/MONTH/YEAR	Date Last Pumped	Once every Other:	year(s) or
Requested Date to Discharge Restricted Septage	DD/MONTH/YEAR	Requested Number of Loads to be Discharged		Number of loads

	Animal Production	tivities which are present at the premises:			
	Battery Manufacturing	Medical Care / Dental / Veterinarian			
	Centralized Waste Management	Metal Fabrication / Finishing			
		Military			
	Concrete / Cement Manufacturing	Mineral, Glass, Stone Manufacturing			
		Painting / Finishing			
	Dry Cleaning / Industrial Laundry				
	Electronics Manufacturing	Petroleum / Fuel Bulking, Refining, Transfer			
Business Activities or Operations at the	Electroplating	Pharmaceutical Manufacturing  Rhotographic Developing			
Premises	Equipment Cleaning/ Washing	Photographic Developing			
	Food or Beverage Processing	Plastics / Rubber Manufacturing			
	Food Premise / Restaurant	Porcelain Enamelling			
	Foundry	Printed Circuit Board Manufacturing			
	Funeral Services	Printing			
		Repair Shop/ Garage			
	Leather Tanning / Textile Manufacturing	Steam / Electric Power Manufacturing			
	Machine Shop	Timber Products			
	None of the Above- No Approval Code is Required				
Business Activities or Operations at the Premises	<ul> <li>No, all wastewater generated by any business activity is diverted away from the OSS for proper disposal.</li> <li>Yes, any amount of wastewater generated by a business activity is discharged to the OSS. This includes, but is not limited to, waste from all grease traps, oil /water separators, amalgam separators, and silver recovery units.</li> <li>If yes, state which activity generates the wastewater discharged to the OSS:</li> </ul>				

Additional documentation and	l requirements:
------------------------------	-----------------

1- Provide premises' hazardous waste generator number and include the name of the waste hauler for waste or wastewater that is

hauled offsite. A Waste Movement Document may be required to be submitted prior to approval.

HWIN No. ON \_\_\_\_\_

Hazardous/ Regulated Waste Hauler Company Name(s): \_\_\_\_\_

2- Submit a copy of the most recent maintenance record, manifest, or movement document for all grease traps,

oil /water separators, amalgam separators, and silver recovery units. \*Failure to submit any of these records or failure to install any of these devices where required will result in the denial of this application.

Records attached: 🔿 Yes 💦 No

3- Describe the type of pretreatment system being used (if any) for each business activity wastewater stream discharging into the OSS (e.g. pH adjustment, metals precipitation, evaporator, dissolved air flotation, etc.):

## If more than one business is connected to the OSS, such as at an industrial park or mall, list each business name and contact information. If more space is needed, attach a separate page using the same format.

Business name:	Business name:
Contact:	Contact:
Phone number:	Phone number:
Business name:	Business name:
Contact:	Contact:
Phone number:	Phone number:

The requested information is required to aid in determining whether or not the septage in your OSS may be hauled to the Pickard Centre for disposal. After review of this application, we may require that you sample your OSS for specific pollutants (e.g., metals such as mercury or organic pollutants such as toluene) or that Sewer Use staff inspect your facility prior to approval. If you choose not to follow through with these requirements, Sewer Use may not accept the waste at the Pickard Centre. If that happens, you should contact your septage hauler or local Ministry of the Environment contact for other disposal options. If you have any questions regarding this application or our requirements, please contact the Sewer Use Duty Officer at 613-580-2424 x 23326. Please allow up to five (5) business days for processing.

I certify that, to the best of my knowledge and belief, the information provided in this document and all attachments is true, accurate, and complete. I am aware that there are significant penalties for submitting false information including the possibility of a fine or prosecution for knowing violations.

Signature

Date

Name (print)